• Paronychia


Refer to the following link:


https://www.health. harvard.edu/a to z/paronychia-a-toz Acute Paronychia It can happen from injury or trauma in the paronychia fold, such as a hangnail, nail pitting, manicuring, or due to thumb sucking.













Source: Reichman EF: Emergency Medicine Procedures, Second Edition: www.accessemergencymedicine.com Copyright © The McGraw-Hill Companies, Inc. All rights reserved.

• Felon (Pulp abscess)

https://www.health.harvard.edu/a to z/felon-a-to-z









© 2003 RENEE L. CANNON

- Subungual hematoma
- Please refer to the following link:
- https://www.emedicineh ealth.com/subungual hematoma bleeding u nder nail/article em.h tm#subungual hemato ma facts






D

С

• Human fight bite (fist injury)





Please refer to the following link: <u>https://epmonthly.com/article/fite-bite/</u>

## Frostbite








#### Trench foot





<u>Please refer to this link:</u> <u>https://medlineplus.gov/frostbite.html</u> <u>https://www.healthline.com/health/trench-foot#qa</u>

- Predisposing risk factors
- Classification
- Pathopgysiology



- <u>Treatment</u>
- ✤Re-warming
- Analgesia
- Massaging X
- Antibiotics X
- Steroids X
- Debridement
- Elevation
- Topical thromboxane inhibitor

- Systematic antiprostaglandin agent
- **∜**T.T
- Dressing
- Amputation
- Adjuvant therapy: alpha blocker, free radical scavengers, thrombolytics
- Late sequelae.