

Appendix 1

Prof. Nada Yasein
Senior Consultant
Head of Family Medicine Department
Jordan University Hospital

Cognitive skills in history taking (Hypothetico-deductive method) Patient's Interview

Chief Complaint

Duration

File information

The differential diagnosis is based on

1. Probability
2. Seriousness
3. Treatability
4. Novelty

(At least seven differential diagnoses arranged from most likely to the least likely).

◆ History

Taking a proper history is the single most important step.
An ideal history must cover all of the following:

a. SOCRATES (for all complaints)

- **Site** (can be ignored in certain situations such as dizziness)
- **Onset**
- **Timing, Duration, Frequency**
- **Character**
- **Radiation**
- **Exacerbation and Relieving factors**
- **Severity**

- Associated symptoms: pertinent clues for each one of probability, seriousness, treatability and novelty.

b. 4 Ds:

✓ Disease

Previous similar attacks: including Dx and Mx
Past medical/ surgical history

✓ Drugs

For the current disease
Any other drugs/Herbs
Allergy
Vaccines
Addiction

✓ Diet

Appetite
Any specific diet
Current weight and significant changes
Certain diseases; celiac...
Hydration

✓ Dokhan (Smoking)

Marital status

Level of education
Job
Alcohol consumption
Financial status
Insurance
Psychological status
Sexual activity
Social history
Family history and genetics
Life cycle:
(teenage until menopause)

Whole patient
medicine

c. Patient centered medicine

→ABC

- Anxiety
- Beliefs
- Concerns

→FEFI

- Function
- Expectations (Cause of the problem AND management)
- Feelings
- Ideas

Why is the patient coming today? (An essential question in each consultation)

◆ **Physical Examination**

- **General appearance**; mouth breathing, paleness, jaundiced, distressed...
- **Vital signs**
 - ⌘ Temperature
 - ⌘ Respiratory rate
 - ⌘ Heart rate
 - ⌘ Blood pressure
- **Focused physical examination**: related to the DDx list

◆ **Management plan: RAPRIOP**

Reassurance
Advice
Prescription
Referral
Investigations
Observation
Prevention

◆ **Patient- doctor interaction**: explaining the DDx; the cause, course and available management options, and sharing all these info with the patient.

Noting that all of the above is taking into consideration patient's concerns and worries.

This is the ideal approach to Family Medicine patients
--

Appendix 2

Outline for Patient-centered case presentation

- ❖ In patient-centered case presentation, you need to present patient's profile followed by the chief complaint.
- ❖ Then you have to present your Pre-Diagnostic Interpretation (PDI) of that specific chief complaint (before taking your history), based on probability, seriousness, treatability and novelty.
- ❖ After that, you need to explore the HPI including illness behavior and patient-centered- medicine views explaining your patient's ideas, concerns, expectations, and possible effects of the problem. Finally, this should lead you into your list of differential diagnoses (DDx). Note that your DDx list might be different from your PDI list.
- ❖ At last, you need to come up with a specific management plan as summarized by the acronym RAPRIOP.

An example of illness behavior:

Mr. Naser is a 42-year-old teacher. He has chest pain.

➤ **Possible ideas**

- ☐ He may think it is from his heart
- ☐ He may think it could be a result of heavy meal
- ☐ He may think it could be (bad eye) or (black magic)
- ☐ He may think it could be trauma

➤ **Possible concerns**

- ☐ His main concern could be his work
- ☐ His main concern could be his image as a distinguished teacher
- ☐ He might be worried his fitness
- ☐ He might be worried about his family, what will happen to them if he died

➤ **Possible expectations**

- ☐ His main expectation could be just explanation and reassurance
- ☐ He may expect ECG or X-Ray or cardiac catheterization
- ☐ He may expect referral for more reassurance
- ☐ He may expect medical report or just a sick leave

➤ **Possible effects of the problem**

- ☐ This problem may affect him physically and prevent him from doing his daily activities
- ☐ It may affect him socially and make him isolated
- ☐ It may affect him psychologically and make him anxious and depressed

Prepared by Dr. Lana Halaseh, MD, MCFP (COE)
Pre-graduate medical students' coordinator at Department of Family and Community Medicine (DFCM)/ UJ-J